

Family Hearing & Vision Questionnaire

Child's Name		Date of Birth	
Interviewer's Name/Agency			
Date of Questionnaire			
Purpose of Questionnaire:			
☐ Initial IFSP	☐ 1st Annual IFSP	☐ 2 nd Annual IFSP	☐ 3 rd Annual IFSP
*These questions can be asked	d at any review, but ar	e <u>required</u> at the initia	l and annual review.
In the last six months, has the complete CBA (If "yes/abnormal", complete CBA (If "yes/abnormal", complete CBA (If "yes/abnormal", complete CBA (If "yes/abnormal"), complete CB	☐ Abnormal À .)	-	
☐ NO(Complete CBA and corup)	nfirm with caregiver th	at child is not yet due	for an ophthalmologic follow
Name of ophthalmologist:			
Date of contact with SCSDB Re	egional Services Coord	dinator	
SCSDB Regional Services Coo	rdinator's Name		
Consult results:			
In the last six months, has the due to a hearing concern?	child had a hearing sc	reening, including a N	ewborn Hearing Screening
☐ YES: ☐ Normal [(If "yes/normal", complete CB/(If "yes/abnormal", complete Crequired.)		an SCSDB Regional S	Services Coordinator is

up).	id is not yet due for an audiological follow
Name of audiologist/ENT:	
Date of contact with SCSDB Regional Services Coordinato	r
SCSDB Regional Services Coordinator's Name	
Consult results:	
SECTION II: ESTABLISHED CONDITIONS	FOR BABYNET ELIGIBILITY
Please check any of the following condition a physician.	ons that have been diagnosed by
HEARING ☐ Agenesis of corpus callosum ☐ Auditory atresia ☐ Auditory neuropathy ☐ Branchiootorenal (BOR)/Meinick-Fraser ☐ Hearing loss ≥ 20 dB	☐ Microtia☐ Stickler syndrome☐ Waardenburg syndrome
VISION Albinism Anophthalmia Bilateral optic nerve coloboma Bilateral retinal detachment w/ blindness Bilateral visual acuity ≤ 20/70 corrected vision best eye Cataracts w/ visual impairment Cortical blindness Glaucoma w/ visual impairment Lebers amaurosis Mobius syndrome Optic nerve atrophy Retinitis pigmentosa Retinoblastoma ROP stages 4 and 5 Septo-optic dysplasia Stickler syndrome	

If you have checked any of the boxes above, refer to SCSDB for initial service coordination (these children are automatically eligible for

BabyNet services).

SECTION III: HIGH RISK FACTORS ASSOCIATED WITH HEARING AND VISION LOSS

If any of these boxes are checked, caregivers should discuss concerns with primary care physician. Do not refer to SCSDB based on the following risk factors.

A. <i>Medical Factors</i>					
☐ Family history of hearing loss					
Prenatal exposure to maternal infections (toxoplasmosis, syphilis, rubella, cytomegalovirus, herpes)					
☐ Prenatal exposure to maternal drug abus	☐ Prenatal exposure to maternal drug abuse				
☐ Hyperbilirubinemia level (jaundice) requ	Hyperbilirubinemia level (jaundice) requiring transfusion				
☐ Apgar score of 3 or less (at 5 minutes aft	er birth)				
☐ Prolonged medical ventilation (more tha	n 10 days)				
☐ Meningitis	• •				
■ More than one course of ototoxic medica	ation				
Head trauma					
Seizures or neurodegenerative disorder	(i.e. mitochondrial disease)				
Otitis media (recurring ear aches or ear		ts hands over ears			
Excessive discharge from the ears	,,				
Constant tears (when child is not crying)					
B. Syndromes/Conditions Associated with I	Hearing or Vision Concerns				
☐ Down Syndrome ☐ Tris	somy 18	□ Dandy Walker Syndrome			
	somy 13	☐ Congenital Brain Malformation			
	ARGE Syndrome	Cytomegalovirus (CMV)			
	aken Baby Syndrome				
☐ Prader-Willi Syndrome	anon Baby Cynarome				
Ostogenesis Imperfecta					
☐ Smith-Magenis Syndrome					
Fetal Alcohol Syndrome					
_ rotal rusonor synarome					
C. Physical Appearance					
☐ Cleft lip and palate					
Horizontal or vertical rapid eye moveme	nts (nystagmus)				
Eyes appear crossed to cross or turn ou		wnward			
Eyes do not move in together or in uniso					
Absence of a clear black pupil					
Hazy cornea or whitish pupil					
Constant redness of the white conjunctive	<i>y</i> a				
_ = = cancer or the mine conjunction	· 				

☐ Constant inflamed, encrusted, or watery eyes (infections occur often)
☐ Constant swelling of the eyes
☐ Sagging of an eyelid that blocks the pupil
☐ Visible irregularities in the shape, size, or structure of the eyes (keyhole pupil)
D. LIEADING.
D. HEARING:
Atypical Listening Behaviors
Frequently does not respond to caregivers calling his/her name
Shows a preference for certain types of sounds
☐ Makes few or inconsistent responses to sounds
Atypical Vocal Behaviors
☐ Has limited vocalizations
☐ Has an abnormality in voice, intonation (pitch), or articulation
Shows a delay in language development
E. VISION:
Atypical Vision Behaviors
Absence of eye contact (by age 3 months)
☐ Poor visual fixation or tracking (by age 3 months)
Squints eyes when outside or inside
☐ Great discomfort in reaction to bright light (photophobia)
☐ Tilts head when looking
Does not notice people or objects when placed in certain areas
☐ Does not reach or inaccuracy when reaching for toys/objects
☐ Cannot find dropped toy
☐ Eyes burn, itch, or feel scratchy
Eye poking, rocking, or staring at lights
Sleeps for short times only, and then wakes up rubbing eyes and/or complaining of pain in the eyes
│ Over or under reaches on curbs or steps